

1998 DoD Survey of Health Related Behaviors Graphical Analysis

By

Sam Sabet, RN, BS

Informatics Nurse

Navy Environmental Health Center

Health Promotion and Medical


Management Directorate

<http://www-nehc.med.navy.mil>

e-mail sabets@nehc.med.navy.mil




Survey Respondents




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Heavy Alcohol Use, Past 30 Days, 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Average Daily Ounces of Ethanol Consumed, Past 30 Days, 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Cigarette Use, Past 30 days 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Smokeless Tobacco Use, Past 30 days, 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Cigar or Pipe Use, Past 12 Months, 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Prevalence of Overweight by Age and Gender, 1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Prevalence of Overweight, by Age and Gender, 1995




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Prevalence of Overweight, by Age and Gender, 1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Prevalence of Overweight, by Age and Gender, 1995




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Prevalence of Underweight by Age and Gender, 1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Prevalence of Underweight by Age and Gender, 1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Involvement in Strenuous Exercise, 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Blood Pressure Screening and Awareness, by Age, 1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Blood Pressure Screening and Awareness, by Age, 1995




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Lifetime History of Hypertension, 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Action Being Taken by Lifetime Hypertensives, 1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Action Being Taken by Lifetime Hypertensives, 1995




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Seatbelt Use, by Age, 1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Seatbelt Use, by Age, 1995




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Helmet Use, Past 12 Months, Motorcyclists, 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Helmet Use, Past 12 Months, Bicyclists, 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Rates of Hospitalization for Injuries, 1995-1998




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Prevalence of STD's, by Gender




Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Prevalence of STD's, by Gender



Source: 1998 and 1995 DoD Survey
of Health Related Behaviors

Condom Use, Unmarried Last Encounter, 1995-1998



Source: 1998 and 1995 DoD Survey
of Health Related Behaviors